







































ABOUT REEVOL



Reevol Lubricants is friendly 3rd generation family owned business started since 1978.At the time whole world is going for new innovation & development in automobiles & industrial lubricant, our aim is to develop and serve pollution free petroleum products so that we can save our environment from being polluted. We provide best quality petroleum products in Automotive & Industrial lubricant through efficient technology.

Why REEVOL?

If you are looking for professional & competitive company then Reevol Lubricants is here to help you with:

- 1. Better than best lubricants
- 2. Skilled professional & Technical team
- 3. Excellent product with competitive rates





COMPANY VISION

REEVOL, it self a vision having meaning of bringing Revolution in Lubricant Industry, and bring revolutionary change in form of quality product & customer satisfaction with help of our real networth, which is network.

COMPANY MISSION

Take the charge of market with help of our business Partners & become India's no.1 Petroleum Product company. We will achieve this by continuously improving our products and services, investing in research and development, and promoting sustainability in all our operations. We will also foster a culture of excellence, integrity, and teamwork among our employees, suppliers, and partners, and contribute to the well-being of the communities where we operate.







PRO-GEN 4T

20W40 SN

Meets SAE - API SN / JASO MA2

Reevol pro-gen 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

PRO GEN 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.

Available in: 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











PRO-SYNTH

10W30 SN

Meets SAE - API SN / JASO MA2

Reevol pro-synth 4T is superior quality blend of synthetic and mineral base oils. That are utilizing a supreme additive system to provide excellent protection in high performance four stroke motorcycles.

PRO SYNTH 4T DELIVERS:

- Continuous protection even when the engine is off.
- An excellent heat resistance capability.
- Very high thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch.
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.

Available in: 800 ml, 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











ULTRA-GEN 4T

20W40 SM

Meets SAE - API SM / JASO MA2

Reevol ultra-gen 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

ULTRA GEN 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.



Available in: 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











PRO-MATIC 4T

10W30 SM

Meets SAE - API SN / JASO MA2

Reevol pro-matic 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

PRO MATIC 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.



Available in: 800ml, 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











NEX-GEN 4T

20W40 SL

Meets SAE - API SN / JASO MA2

Reevol nex-gen 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

NEX GEN 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.

Available in: 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











ULTRA-MATIC 4T

10W30 SL

Meets SAE - API SN / JASO MA2

Reevol ultra-matic 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

ULTRA MATIC 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.

Available in: 800ml, 900ml, 1 LTR, 1.2 LTR, 50 LTR, 210 LTR











ULTRA SYNTHETIC

5W30 SN

Meets SAE – API SN

Reevol ULTRA SYNTHETIC is superior quality fully synthetic motor oil formulation. Ultimate advance power 5W30 gives high temperature performance. And superior top class engine performance for current generations car engine.

ULTRA SYNTHETIC DELIVERS:

- This low SAPS (Sulfated Ash, Phosphorus and Sulfur) engine oil provides long life for exhaust after treatment devices including diesel particulate filter
- Rapid oil flow in cold condition assures easy start and good drivability
- High viscosity index ensures adequate oil film strength at hot operating condition
- excellent clean up properties help to remove dirt and sludge from building up
- Improved fuel efficiency by minimization of friction



Available in: 1 LTR, 3.5 LTR, 5 LTR, 50 LTR, 210 LTR

Recommended for : 🎱 🗿 😡























SYNTHETIC BLEND

5W30 SN MINERAL

Meets SAE – API SN

Reevol SYNTHETIC BLEND is superior quality fully synthetic motor oil formulation. Ultimate advance power 5W30 gives high temperature performance. And superior top class engine performance for current generations car engine.

SYNTHETIC BLEND DELIVERS:

- This low SAPS (Sulfated Ash, Phosphorus and Sulfur) engine oil provides long life for exhaust after treatment devices including diesel particulate filter
- Rapid oil flow in cold condition assures easy start and good drivability
- High viscosity index ensures adequate oil film strength at hot operating condition
- excellent clean up properties help to remove dirt and sludge from building up
- Improved fuel efficiency by minimization of friction



Available in: 1 LTR, 3.5 LTR, 5 LTR, 50 LTR, 210 LTR

Recommended for: (a)

























ADVANCE TECH

CNG 20W50

Meets SAE – API SN

Reevol Advance Tech Engine Oil 20W50 is a Long Drain CNG Engine Oil which provides excellent performance in the challenging operating environments presented by Compressed Natural Gas (CNG) and offers extended drain interval capability. It is a new premium quality medium ash engine oil.

ADVANCE TECH DELIVERS:

- Good control on Oxidation & Nitration
- Exceptional control on Deposits & Wear
- Ensures engine durability
- Reduced NOx formation
- Improved fuel efficiency by minimization of friction

Available in: 1 LTR, 3.5 LTR, 4.5 LTR, 50 LTR, 210 LTR

Recommended for: All Type Of CNG Vehicles.











PRO-GRADE

15W40 CI-4 PLUS

Reevol pro-grade is the super-premium quality diesel engine oil made from the finest paraffin base stocks and state of art additive technology, specifically designed to address the operational severity and engine durability issues of the modern emission compliant diesel engines, employing Exhaust Gas Recirculation (EGR) & Cooled EGR.

PRO-GRADE DELIVERS:

- provides optimum protection for control of soot handling in cooled EGR
- Exceptional soot dispersancy to control oil thickening due to high soot loading
- Unmatched wear control & protection to engine components against acidic corrosion, leading to better engine protection
- Low oil consumption
- High shear stability
- Longer drain periods
- Lower maintenance cost



Available in: 1 LTR, 3.5 LTR, 5 LTR, 7.5 LTR, 10 LTR, 15 LTR, 20 LTR, 50 LTR. 210 LTR

























TURBO MAX

15W40 CH-4

Reevol Turbo-max is the super-premium quality diesel engine oil made from the finest paraffin base stocks and state of art additive technology, specifically designed to address the operational severity and engine durability issues of the modern emission compliant diesel engines.

TURBO-MAX DELIVERS:

- High TBN retention
- Reduced oil consumption & better fuel economy
- Low oil consumption
- High shear stability
- Longer drain periods
- Lower maintenance cost



Available in: 1 LTR, 3.5 LTR, 5 LTR, 7.5 LTR, 10 LTR, 15 LTR, 20 LTR, 50 LTR, 210 LTR

Recommended For All Type Of Petrol & Diesel Engines.







TURBO POWER

15W40 CF-4

Reevol Turbo-power is the super-premium quality diesel engine oil made from the finest paraffin base stocks and state of art additive technology, specifically designed to address the operational severity and engine durability issues of the modern emission compliant diesel engines.

TURBO-POWER DELIVERS:

- provides optimum protection for control of soot handling in cooled EGR
- Exceptional soot dispersancy to control oil thickening due to high soot loading
- Unmatched wear control & protection to engine components against acidic corrosion, leading to better engine protection
- Low oil consumption
- High shear stability
- Longer drain periods
- Lower maintenance cost



Available in: 1 LTR, 3.5 LTR, 5 LTR, 7.5 LTR, 10 LTR, 15 LTR, 20 LTR,

























PREMIUM BLUE 2T

TC / CF

REEVOL PREMIUM BLUE 2T grade is a premium quality 2T engine oil developed to cater to lubrication requirements of modern 2-stroke out- board Motors fitted on fishing boats. PREMIUM BLUE 2T are manufactured from the semi-synthetic blend and state of art additive technology to meet the stringent requirements of API TC & JASO FC/FD.

PREMIUM BLUE 2T DELIVERS:

- Reduced crown deposits and ring sticking
- No spark plug fouling
- Reduced exhaust port blockage
- Lower maintenance cost
- Longer engine life

Recommended for: BOAT SPECIAL

Available in: :500ML, 1 LTR, 20 LTR, 50 LTR, 210 LTR









OBM 2T

TC / CF

REEVOL OBM 2T grade is a premium quality 2T engine oil developed to cater to lubrication requirements of modern 2-stroke out- board Motors fitted on fishing boats.

REEVOL OBM 2T are manufactured from the semi-synthetic blend and state of art additive technology to meet the stringent requirements of API TC & JASO FC/FD.

OBM 2T DELIVERS:

- Reduced crown deposits and ring sticking
- No spark plug fouling
- Reduced exhaust port blockage
- Lower maintenance cost
- Longer engine life

Recommended for: BOAT SPECIAL, MARINE SPECICAL

Available in: :500ML, 1 LTR, 20 LTR, 50 LTR, 210 LTR









ROYAL-BLEND 4T

15W50 SM

Meets SAE - API SM / JASO MA2

Reevol royal-blend 4T meets the requirements of modern generation motor cycle engines good viscosity index, good detergency level and excellent oxidation stability provides proper viscosity through a wide of engine temperature.

ROYAL-BLEND 4T DELIVERS:

- An excellent heat resistance capability.
- Excellent valve train wear performance.
- Outstanding thermal and oxidation stability.
- Excellent formula to handle engine, gear & clutch
- to increase power and fuel economy.
- Enhance pick-up and also longer battery life.

Available in:: 2.5 LTR, 50 LTR, 210 LTR

Recommended for: ROYAL ENFIELD













All 180 9001:2008 Certified Col

MG ENGINE OIL

20W40 CF-4 /CH-4

Reevol MG ENGINE OILS are the super-premium quality diesel engine oil made from the finest paraffin base stocks and state of art additive technology, specifically designed to address the operational severity and engine durability issues of the modern emission compliant diesel engines.

MG ENGINE OIL DELIVERS:

- High TBN retention
- Reduced oil consumption & better fuel economy
- Low oil consumption
- High shear stability
- Longer drain periods
- Lower maintenance cost

Available in: 1 LTR, 3.5 LTR, 5 LTR, 7.5 LTR, 10 LTR, 20 LTR, 50 LTR, 210 LTR

Recommended for: ALL TYPE OF PETROL & DIESEL ENGINES.









SPECIAL TRACTOR OILS

20W40 CF-4 /CH-4 15W40 CF-4 /CH-4/ CI-4

Reevol special tractor oils are the super-premium quality diesel engine oil made from the finest paraffin base stocks and state of art additive technology, specifically designed to address the operational severity and engine durability issues of the modern emission compliant diesel engines.

TRACTOR OILS DELIVERS:

- High TBN retention
- Reduced oil consumption & better fuel economy
- Low oil consumption
- High shear stability
- Longer drain periods
- Lower maintenance cost









WET BRAKE OIL

UTTO

Reevol wet brake oil is a premium quality Universal Tractor Transmission Oil (UTTO) formulated from high quality hydrotreated base stocks and carefully selected additives, designed to deliver the best performance in transmission, hydraulic, final drive and PTO systems of modern tractors.

UTTO DELIVERS:

- Balanced lubricity and other functional properties
- Unmatched performance in operation of wet-brake mechanisms
- Minimizes clutch-plate wear and brake chatter
- Provides excellent lubrication for gear box and transmission equipment
- Minimizes wear in high pressure hydraulic pump systems
- Superior oxidation and deposit control enabling longer service intervals
- Superior protection against Rust and Corrosion



Available in: :1 LTR, 5 LTR, 10 LTR, 20 LTR, 50 LTR, 210 LTR Recommended for a Range Of Tractor Components.










HYDRAULIC OILS

REGULAR / HLP 32/46/68

Reevol hydraulic series are blended from deep hydro finished base stocks and select additives. The additives are designed for optimum compressor operation. The additives are used to enhance the oxidation stability, anti-rust characteristics, anti-wear properties of the oil. The oil has natural demulsification property, low foaming tendency and quick air release property.

HYDRAULIC OILS DELIVERS:

- Ensures better lubrication of rotors and bearings thereby reducing heat generation and lowering operating temperatures
- Enhanced wear protection resulting in prolonged maintenancefree equipment life
- Outstanding oxidation and thermal stability
- Excellent hydrolytic stability
- Maintains excellent internal surface cleanliness
- Good protection against corrosion
- Good demulsifying properties
- Low foaming tendency
- Excellent seal compatibility
- Double the drain interval in screw compressor compared
- to conventional IS:10522 grade hydraulic oils









DIESEL EXAUST FLUID

DEF

Reevol DEF is a premium Diesel Exhaust Fluid manufactured as per ISO 22241 & IS 17042 (Part I) specifications. It is a non-toxic, high quality and highly pure Aqueous Urea Solution that works with SCR (Selective Catalytic Reduction) technology to chemically change harmful nitrogen oxide (NOx) emissions from heavy-duty diesel vehicles into harmless nitrogen and water.

DEF DELIVERS:


- Superior protection for the SCR catalyst
- Prevents fouling/clogging of Spray nozzles
- Prevents gummy deposits in the tail pipe



Available in: 5 LTR, 20 LTR, 50 LTR, 210 LTR

Recommended in Vehicles Fitted With SCR After Treatment Device.









AUTO TRANSMISSION FLUID

ATF TQ

Reevol TRANSMISSION FLUID is a high quality automatic transmission fluid manufactured from highly refined base stocks and carefully selected additives, to provide a superior performance in the automatic transmission systems of automotive.

AUTO TRANSMISSION FLUID DELIVERS:

- Superior oxidation and thermal stability reduces deposit formation
- Superior anti-wear protection to critical parts
- Good shear stability implies a longer service life of oil and the hardware
- Good foam control leads to smooth gear shifting
- Compatible with all common elastomers
- Provides good protection against rust and corrosion
- Very high viscosity index and low pour point ensures proper
 lubrication in both high temperature operation & low starting temperatures

Available in: 500ML, 1 LTR, 5 LTR, 10 LTR, 20 LTR, 50 LTR, 210 LTR Recommended for: automatic transmission and power steering units of automobile and light trucks.









AUTO GEAR POWER PREMIUM GEAR POWER

80W90/85W140 GL5

Reevol multipurpose gear oil GL-5 SERIES is containing extreme pressure additives for moderate as well as severe conditions service & address the requirements of gears, particularly hypoid gears in passenger cars, heavy commercial vehicles and other automotive equipment operated under highspeed, shock-load; high-speed, low-torque; and low-speed, high-torque conditions

PREMIUM GEAR POWER DELIVERS:

- Excellent thermal & chemical stability
- Protection against rust & corrosion ensuring longer trouble free protection
- Good performance even under extreme pressure & varying load conditions
- Excellent protection to gear components against wear under heavy loads
- Permits operation across broad temperature range
- Fuel Economy
- Longer Oil and Component Life

Available in: 500ML, 1 LTR, 5 LTR, 10 LTR, 20 LTR, 50 LTR, 210 LTR Recommended for passenger cars, light commercials, 4WDs, trucks, construction, earthmoving and agricultural equipment

Reev@l



It's Liquid Revolution

Reevel





GENUINE GEAR OILS

EP-90/EP-140 GL-4

Reevol EP-90/EP-140 is multipurpose gear oil containing extreme pressure additives for moderate as well as severe conditions service.

PREMIUM GEAR POWER DELIVERS:

- Excellent thermal & chemical stability
- Protection against rust & corrosion
- Ensuring longer trouble free operation



Available in : 500ML, 1 LTR, 5 LTR, 10 LTR, 20 LTR, 50 LTR, 210 LTR

Recommended for use in transmissions, manual gearboxes, differentials, transaxles and transfer cases in your vehicle & machines








R-COOL

1:4 / 1:9 / READY TO USE

Reevol R-cool is an engine coolant with Ethylene Glycol base for use in radiators & 100% concentrated product. Available in 3 variants i.e 1:4 / 1:9 / READY TO USE would be used as per recommended.

R-COOL DELIVERS:

- Easy miscibility with water
- Effective cooling
- Good chemical stability
- High boiling point & low freezing point
- Protects radiator against rust & corrosion.



Available in : 1 LTR, 3 LTR, 5 LTR, 26 LTR, 50 LTR, 210 LTR Recommended for Automotive & Industrials Purpose As Per Guided By Manuals







UPCOMING PRODUCTS

- SUPER BIKE CUSTOMISED OILS
- ENGINE FLUSH FLUID
- GENERATOR OIL
- EV LUBRICANTS
- BRAKE FLUIDS
- REFRIGERATION OIL/ FLUID
- BOEING / AIRBUS LUBRICANTS
- PUMP SET OIL







It's Liquid Revolution

Brought To You By

REEVOL LUBRICANTS - INDIA

Web: www.reevol.in

Email: Info@reevol.in

Customer Care +91 94794 95195

Gujarat corporate office

A-910, world trade tower, Sarkhej sanand chowkdi, S G highway, Ahmedabad-380051